(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 22 February 2001 (22.02.2001)

PCT

(10) International Publication Number WO 01/11974 A1

(51) International Patent Classification⁷: 2/16, 10/04

A21D 8/04,

- (21) International Application Number: PCT/EP00/08146
- (22) International Filing Date: 17 August 2000 (17.08.2000)
- (25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 99202672.4

17 August 1999 (17.08.1999) EP

- (71) Applicant (for all designated States except US): DSM N.V. [NL/NL]; Het Overloon 1, NL-6411 TE Heerlen (NL).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): SCHUTTE, Ernst, Jan [NL/NL]; Zwartbroekweg 432, NL-5237 KW Den Bosch (NL). SCHOONEVELD-BERGMANS, Margot, Elisabeth, Françoise [NL/NL]; Wilhelminalaan 196, NL-2625 KK Delft (NL). MULDER, Hermannes, Marrien [NL/NL]; Reinenweer 63, NL-3363 XR Delft (NL). NOBEL, Leo [NL/NL]; J. Berkstraat 29, NL-3284 XD Zuid-Beijerland (NL).

- (74) Agents: MATULEWICZ, Emil, Rudolf, Antonius et al.; DSM N.V., DSM Patents & Trademarks Office Dept. (994-0760), P.O. Box 1, NL-2600 MA Delft (NL).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU. AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM). European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

- With international search report.
- Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

/11974 A1

(54) Title: LIQUID BREAD IMPROVING COMPOSITION

WO 01/11974 PCT/EP00/08146

LIQUID BREAD IMPROVING COMPOSITION

The present invention relates to liquid bread improving compositions and processes for making a dough and a baked bread using said compositions.

5

10

15

20

25

30

Several compositions have been developed for the easy handling and pumping of liquid bread-improving compositions. EP-A-572051 discloses a composition comprising 75-95% vegetable oil, 1-5% of a hydrogenated oil and 1-5% of a partly hydrogenated oil, 2-20% emulsifiers including at least diacetyl tartaric esters from saturated or unsaturated mono- and/or diglycerides (i.e. DATA esters) and enzyme. The average particle size of the particles present in the composition is less than 50 µm in order to keep this composition storage-stable. The disadvantage of this composition is the complexity of the mixture and the sophisticated production procedure. WO 99/48377 discloses stable suspensions of a particulate component. The enzyme containing bread improving compositions disclosed therein have high oil contents (>80% of the final composition), low fat and/or emulsifier (≤2%) and enzyme (up to 10%). It is further stated that the bread improver compositions preferably contain either <2% or >20% emulsifier. We have found that with fat and/or emulsifier contents of <2% we were unable to obtain stable liquid bread improving compositions that contain 20-45% NaCl.

The present invention provides liquid bread improving compositions comprising 30-70% of a vegetable triglyceride oil, 2.5-15% of fat and/or emulsifier, enzyme and at least one other bread improving ingredient. In the liquid bread improving compositions of the present invention, the enzyme particles have a particle size larger than the enzyme particles described in prior art processes are used. Other large size particles which can be used are crystals of other bread improving ingredients such as salt (e.g. NaCl) or sugars (e.g. dextrose). Particle size can be determined by sieving. The liquid bread improving compositions of the present invention are easy to produce and fulfil all the demands with respect to their storage stability which means that the liquid does not separate into two distinct phases including a precipitate (after storage for 2 months at 5 and 30°C). Another advantage of such liquid bread improving compositions is that they can be (automatically) dosed to the basic dough ingredients for bread production: flour, active yeast (baker's yeast e.g. cream, dry, instant or compressed yeast) and water.

In one aspect, the invention provides a storage stable liquid bread improving composition comprising:

10

15

20

25

30

- 1. 30-70 wt% of a vegetable triglyceride oil;
- 2. 2.5-15 wt% of fat and/or emulsifier;
- 0.05-5 wt% of enzyme particles whereby 70% of the particles have a size of more than 50 μm;
- 4. 5-50 wt% of other bread improving ingredients;

The liquid bread improving composition comprises 30-70%. more preferably 45-60%, most preferably 50-60% of vegetable triglyceride oil such as soy oil, palm oil or rape seed oil; most preferred is soy oil. The vegetable oil is in a liquid form at temperatures of 5°C and higher. The liquid bread improving composition comprises further 2.5-15 wt% of fat and/or emulsifier. Preferably, the liquid bread improving composition comprises \leq 5% fat and \leq 15%, more preferably \leq 10% and most preferably 2-10% of emulsifier. Suitable fats are hydrogenated palm or soy fat. Suitable emulsifiers are calcium stearoyl lactylate (E482), sodium stearoyl lactylate (E481) or mono- and diglycerides such as E471 or mixtures thereof. Most preferred is calcium stearoyl lactylate (E482).

The liquid bread improving composition comprises 0.05-5 wt% of enzyme particles, preferably granulated enzyme particles. More than 70% of the granulated enzymes have a particle size of more than $50\mu m$, more preferably 90% have a size of 50-200 μm . The enzyme can be an α -amylase, a protease, an amyloglucosidase, a (phospho)lipase, a glucose oxidase, a hemicellulase or combinations thereof.

The liquid bread improving composition further comprises 5-50 wt%, more preferably 10-45 wt% and most preferably 20-45 wt% of one or more other bread-improving ingredients. By other bread-improving ingredients are meant in the present application, those ingredients besides components 1 to 3 listed above and the basic dough ingredients (flour, water and yeast). These ingredients have an additional effect on the dough or bread and can be selected from the following components: salt, preferably NaCl, for taste - the salt crystals may have a size between 125-1000 µm, more preferably 80% have a size between 250-600 µm; flour of cereals or leguminous plants e.g. soy flour (active soy flour contains lipoxygenase, having a bleaching effect), malt flour (for dark colouring of the bread or taste) and wheat flour; wheat gluten; milk constituents such as lactose, whey powder or whey permeate; preservatives such as sorbic acid or sodium diacetate; sugars; flavours; ascorbic acid; inactivated dry yeast. A preferred embodiment is a liquid bread improving composition comprising 20-45% NaCl. Another preferred embodiment is a liquid bread improving composition comprising 20-45% sugar such as

dextrose.

5

10

15

20

25

30

The liquid bread improving composition can be easily made by adding the ingredients into a production kettle, starting with the triglyceride oil followed by the emulsifier and the fat. The mixture of oil, emulsifier and fat is heated to a temperature between 50-80°C, more preferably to approximately 75°C. Subsequently, the mixture, after complete melting of the fat and/or emulsifier, can be cooled down to e.g. 20-25°C using a plate heat exchanger. Optionally the mixture is subsequently mixed e.g. for 1-4 hours. This mixing improves the storage stability of the final composition. Rapid cooling improves the physical stability of the final composition and a cooling time of 10-30 min., preferably 15 min is therefore chosen. The stirring is stopped and the mass is left to rest for 10 min. Finally remaining (solid) bread improver ingredients or dough ingredients are added and optionally mixed for example approximately 5-15 minutes, after which the product is filled into containers for storage.

In another aspect, the invention provides a process for making a dough which comprises mixing flour, yeast, water and the liquid bread-improving composition of the present invention. In a further aspect, the invention provides a process for producing a bread which comprises a process for making a dough as described above and subsequently baking the dough. The dough recipe for white bread may consist of wheat flour (3500 g), fresh yeast (70 g), Liquid Bread Improver (LBI) for white bread (175 g) and water (1840 g). The ingredients are mixed in a standard spiral mixer for 350 rounds in the first gear, followed by 1200 rounds in the second gear. The temperature of the dough was kept at approximately 28°C. The dough is moulded into ball shapes of 890 gram, prior to proofing for 40 min. Subsequently, the dough is moulded for tin bread and final proofing occurs for 70 min at 34±2 °C and 85±5% RH. Baking is performed for 30 min at 270°C top temperature and 280°C bottom temperature. The procedure for wholemeal bread is essentially the same, with the alteration that 3500 g of wholemeal flour is used, liquid bread improver for wholemeal bread is used, the proofing occurs in ball shaped moulds of 900 q, and baking is performed for 40 min. The procedure for various types of universal breads may be essentially the same as the above described procedure for white bread, however it may differ from this procedure in the addition of extra NaCl (70 g), since this is not present in the LBI-universal. Moulding, proofing and baking is the same as for white bread.

All Fermizyme[®] and Levuraline[®] products referred to in the following examples

are products from DSM Bakery Ingredients, Delft, The Netherlands. The Fermizyme products were of the BG type meaning that at least 80% of the particles have a size between 63-200 μm as determined by sieving. Fermizyme[®] and Levuraline[®] are registered trademarks of DSM N.V.

5

Example 1

Liquid bread improver for the preparation of white bread (5 wt% dosage of flour). Soy oil (53 wt%), hydrogenated palm fat (1 wt%) and Emulsifier E482 (5 wt%) were heated to 75°C and mixed to form a homogeneous solution. Subsequently, the mixture was cooled to 22°C. NaCl (41 wt%), Fermizyme[®] H2000 (containing fungal α -amylase and hemicellulase; 0.02 wt%), Fermizyme[®] P500 (containing fungal α -amylase; 0.02 wt%) and Levuraline[®] (inactivated dry yeast; 0.02 wt%) were added after which the composition was mixed for 5 minutes. The mixture was storage stable for two months at 5 and 30°C.

15

20

10

Example 2

Liquid bread improver for wholemeal bread (5 wt% dosage of flour).

Soy oil (50 wt%), hydrogenated palm fat (1 wt%) and emulsifier E482 (6.0 wt%), were heated to 75°C and mixed to form a homogeneous solution. Subsequently, the mixture was cooled to 22°C. NaCl (41 wt%), malt flour (1.5 wt%), ascorbic acid (0.02 wt%), Fermizyme® H2000 (0.08 wt%), Fermizyme® P500 (0.06 wt%), and Levuraline® (0.02 wt%) and Fermizyme® GO 1500 (containing glucose oxidase; 0.04 wt%) were added after which the composition was mixed for 5 minutes. The mixture was storage stable for two months at 5 and 30°C.

25

30

Example 3

Liquid bread improver for wholemeal bread (6 wt% dosage on flour).

Soy oil (58 wt%), hydrogenated palm fat (1.6 wt%) and emulsifier E471 (Grindsted Mono-di HA 40-1; 1.8 wt%) were heated to 75°C and mixed to form a homogeneous solution. Subsequently, the mixture was quickly cooled to 25°C and slowly agitated for 4 hours. After resting for 16 hours, NaCl (33 wt%), wheat gluten (2.5 wt%), malt flour (1.6 wt%), ascorbic acid (0.05 wt%), Fermizyme® B100 (containing bacterial α-amylase; 0.0017 wt%), Fermizyme® H2000 (0.067 wt%), Fermizyme® AG800 (containing amyloglucosidase; 0.05 wt%) and Fermizyme® GO1500 (0.033 wt%) were added after

which the composition was mixed for 5 minutes. The mixture was storage stable for two months at 5° and 30°C.

Example 4

Liquid bread improver for white bread (short process) (6 wt% dosage on flour).

Soy oil (55 wt%) and hydrogenated palm fat (2.8 wt%) were heated to 75°C and mixed to form a homogeneous solution. Subsequently, the mixture was cooled to 25°C, and slowly agitated for 4 hours. After resting for 16 hours, soy flour (8.3 wt%), NaCl (33 wt%), Fermizyme® B100 (0.0014 wt%), Fermizyme® H2000 (0.083 wt%), Fermizyme® AG800 (0.066 wt%), Levuraline® (0.066 wt%) and ascorbic acid (0.017 wt%) were added after which the composition was mixed for 5 minutes. The mixture was storage stable for two months at 5° and 30°C. A liquid bread improver for white bread, containing soy oil (56.8 wt%) and hydrogenated palm fat (1.0 wt%) was not storage stable. After two weeks heterogeneity in the distribution of the solid particles became visible, which resulted in sedimentation after 1 month.

15

20

10

Example 5

Liquid bread improver for wholemeal bread (6 wt% dosage on flour).

Rapeseed oil (59 wt%), hydrogenated palm fat (3.7 wt%) and emulsifier E482 (2.3 wt%) were heated to 70°C and mixed to form a homogeneous solution. Subsequently, the mixture was cooled to 25°C, and slowly agitated for 4 hours. After resting for 16 hours, malt flour (1.7 wt%), NaCl (33 wt%), Fermizyme® B100 (0.0017 wt%), Fermizyme® H2000 (0.067 wt%), Fermizyme® AG800 (0.050 wt%), Fermizyme® GO1500 (0.033 wt%) and ascorbic acid (0.050 wt%) were added after which the composition was mixed for 5 minutes. The mixture was storage stable for two months at 5° and 30°C.

25

30

Example 6

Liquid bread improver for white bread (5 wt% dosage on flour).

Soy oil (53 wt%), hydrogenated soy fat (5 wt%) and emulsifier E471 (2 wt%) were heated to 75°C and mixed to form a homogeneous solution. Subsequently, the mixture was quickly cooled to 25°C, and slowly agitated for 4 hours. After resting for 16 hours, NaCl (41 wt%), Fermizyme[®] P500 (0.02 wt%), Fermizyme[®] H2000 (0.02 wt%) and Levuraline[®] (0.02 wt%) were added after which the composition was mixed for 5 minutes. The mixture was storage stable for two months at 5° and 30°C.

6

Example 7

Liquid bread improver for various types of bread (3 wt% dosage on flour). Soy oil (53 wt%), hydrogenated palm fat (2 wt%) and emulsifier E471 (2 wt%) were heated to 75°C and mixed to form a homogeneous solution. Subsequently, the mixture was quickly cooled to 25°C. Dextrose (20 wt%), dried milk constituents (17 wt%), wheat flour (7 wt%), Fermizyme® H2000 (0.07 wt%), Fermizyme® B100 (0.0025 wt%), Fermizyme® GO1500 (0.07 wt%), Levuraline® (0.2 wt%) and ascorbic acid (0.03 wt%) were added after which the composition was mixed for 5 minutes. The mixture was storage stable for two months at 5° and 30°C.

PCT/EP00/08146

5

15

7

CLAIMS

- 1. A liquid bread improving composition comprising
 - 30-70 wt% of a vegetable triglyceride oil;
 - 2.5-15 wt% of fat and/or emulsifier;
 - 0.05-5 wt% of enzyme particles whereby 70% of the particles have a size of more than 50 μm;
 - 5-50 wt% of other bread improving ingredients;
- 2. A liquid bread improving composition according to claim 1 comprising ≤5% fat and ≤15% emulsifier.
 - 3. A liquid bread improving composition according to anyone of claims 1 or 2 comprising 2-10% emulsifier.
 - 4. A liquid bread improving composition according to anyone of the preceding claims comprising 20-45% NaCl.
- 5. A liquid bread improving composition according to anyone of the preceding claims comprising 20-45% sugar.
 - 6. A process for making a dough which comprises mixing flour, yeast, water, optionally salt and the liquid bread-improving composition described in claims 1-5.
- 7. A process for producing a bread which comprises a process for making a dough according to claim 6 and subsequently baking the dough.

INTERNATIONAL SEARCH REPORT

Inter. .onal Application No PCT/EP 00/08146

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A21D8/04 A21D2/16 A21D10/04

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) IPC $\frac{7}{100}$ A21D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

WPI Data, EPO-Internal, PAJ, FSTA

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	WO 99 48377 A (VOGENSEN BENT KVIST; DANISCO (DK); SOE JORN BORCH (DK); THYGESEN H) 30 September 1999 (1999-09-30) cited in the application page 8, line 10 - line 31 page 11, line 4 - line 15 page 12, line 7 - line 15 page 13, line 25 - line 29 page 14, line 6 -page 15, line 7; claims 1,5,7-14,18-21; examples 11,12	1-3,6,7
A	EP 0 246 554 A (ROEHM GMBH) 25 November 1987 (1987-11-25) page 3, line 17 - line 32 page 4, line 7 - line 15; claims 1-3,8,12,13; example 1	1,6,7

X Further documents are listed in the continuation of box C.	Patent family members are listed in annex.
Special categories of cited documents: A* document defining the general state of the art which is not considered to be of particular relevance E* eartier document but published on or after the international filing date L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) O* document referring to an oral disclosure, use, exhibition or other means P* document published prior to the international filing date but later than the priority date claimed	 "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family
Date of the actual completion of the international search 14 December 2000	Date of mailing of the international search report 06/02/2001
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer Piret-Viprey, E

1

INTERNATIONAL SEARCH REPORT

Interia anal Application No
PCT/EP 00/08146

	TO A CONTRACT CONTRACTOR TO BE SEE STATE OF THE STATE OF	101/21 00/00140
	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	Delouget to steller his
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 913 468 A (GIST BROCADES BV) 6 May 1999 (1999-05-06) claims 1-3,8-12; examples 1-3	1,6,7
A	WO 96 13980 A (BURNS PHILP FOOD HOLDINGS PTY ;MOBBS KEITH LESLIE (AU); WILLIAMS K) 17 May 1996 (1996-05-17) claim 1	1,6,7
	<u>.</u>	
		·

1

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No PCT/EP 00/08146

Patent document cited in search repor	1	Publication date	Patent family member(s)		Publication date 22-09-1999 18-10-1999 28-11-2000 03-01-2001
WO 9948377	7 A 30-09-19		GB AU BR EP	2335433 A 3269499 A 9908951 A 1063895 A	
EP 0246554	Α	25-11-1987	DE AT DE	3617473 A 52161 T 3762381 D	26-11-1987 15-05-1990 31-05-1990
EP 0913468	Α	06-05-1999	JP US	11113479 A 6083538 A	27-04-1999 04-07-2000
WO 9613980	Α	17-05-1996	AU JP TR	3767195 A 10509310 T 960467 A	31-05-1996 14-09-1998 21-07-1996